

FIG. 1




FIG. 2




FIG. 3




FIG. 4

TEST SUITE FILE

INTERACTIONS ELEMENT

```
<interactions>
  <interaction>
    <request>
      <save_object>
        <theObject>...</theObject>
      </save_object>
    </request>
    <expectedResponse>
      <result>
        <theObject>...</theObject>
      </result>
    </expectedResponse>
  </interaction>
  <interaction>
    <request>
      <get_object>
        <ref:key>../../../../interaction[1]/
          actualResponse/result/theObject
          /@key</ref:key>
        </get_object>
      </request>
      <expectedResponse>
        <result>
          <theObject ref:key =
            "../../../../interaction[1]
              /actualResponse/result/theObject
              /@key">... </theObject>
          </result>
        </expectedResponse>
      </interaction>
    </interactions>
```

FIG. 5

TEST SUITE FILE

INTERACTIONS ELEMENT

```
<interactions>
  <interaction>
    <request>
      <save_object>
        <theObject>...</theObject>
      </save_object>
    </request>
    <expectedResponse>
      <result>
        <theObject>...</theObject>
      </result>
    </expectedResponse>
    <actualResponse>
      <result>
        <theObject key = "12345"> ...
      </theObject>
    </result>
  </actualResponse>
</interaction>
<interaction>
  <request>
    <get_object>
      <ref:key>../../../../interaction[1]
      </actualResponse/result/theObject
      </@key</ref:key>
    </get_object>
  </request>
  <expectedResponse>
    <result>
      <theObject ref:key =
      <../../../../interaction[1]
      </actualResponse/result/theObject
      </@key">... </theObject>
    </result>
  </expectedResponse>
</interaction>
</interactions>
```

FIG. 6

TEST SUITE FILE

INTERACTIONS ELEMENT

```
<interactions>
  <interaction>
    <request>
      <save_object>
        <theObject>...</theObject>
      </save_object>
    </request>
    <expectedResponse>
      <result>
        <theObject>...</theObject>
      </result>
    </expectedResponse>
    <actualResponse>
      <result>
        <theObject key = "12345"> ...
        </theObject>
      </result>
    </actualResponse>
  </interaction>
  <interaction>
    <request>
      <get_object>
        <key>12345</key>
      </get_object>
    </request>
    <expectedResponse>
      <result>
        <theObject ref:key =
          ".../interaction[1]
          /actualResponse/result/theObject
          /@key">... </theObject>
      </result>
    </expectedResponse>
  </interaction>
</interactions>
```

FIG. 7

TEST SUITE FILE

INTERACTIONS ELEMENT

```
<interactions>
  <interaction>
    <request>
      <save_object>
        <theObject>...</theObject>
      </save_object>
    </request>
    <expectedResponse>
      <result>
        <theObject>...</theObject>
      </result>
    </expectedResponse>
    <actualResponse>
      <result>
        <theObject key = "12345"> ...
        </theObject>
      </result>
    </actualResponse>
  </interaction>
  <interaction>
    <request>
      <get_object>
        <key>12345</key>
      </get_object>
    </request>
    <expectedResponse>
      <result>
        <theObject ref:key = "../.../.../
          interaction[1] /actualResponse/
            result/theObject /@key">... </theObject>
        </result>
      </expectedResponse>
    <actualResponse>
      <result>
        <theObject key = "12345"> ...
        </theObject>
      </result>
    </actualResponse>
  </interaction>
</interactions>
```

FIG. 8

TEST SUITE FILE

INTERACTIONS ELEMENT

```
<interactions>
  <interaction>
    <request>
      <save_object>
        <theObject>...</theObject>
      </save_object>
    </request>
    <expectedResponse>
      <result>
        <theObject>...</theObject>
      </result>
    </expectedResponse>
    <actualResponse>
      <result>
        <theObject key = "12345"> ...
        </theObject>
      </result>
    </actualResponse>
  </interaction>
  <interaction>
    <request>
      <get_object>
        <key>12345</key>
      </get_object>
    </request>
    <expectedResponse>
      <result>
        <theObject key = "12345">
        </theObject>
      </result>
    </expectedResponse>
    <actualResponse>
      <result>
        <theObject key = "12345"> ...
        </theObject>
      </result>
    </actualResponse>
  </interaction>
</interactions>
```

FIG. 9